

NORTH

side

Fire drills

10 000  
*Andy Colson*

# Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of October 2009. All persons, including outby persons at the operation is required to participate in this drill.

The scenario for this drill will be: While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

The Primary Escapeway must be traveled during this evacuation.

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.



Fire/Evacuation Record

Date: 11-7-09  
Section: 1 Section Anthony crew  
Escape way used: primary

Scenario

Used: Main #1 entry accident (cut throw occurred old mine not in map accumulation under possible O2 deficiency)

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

- ( ) Hands on training in fire fighting. ( Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- ( ) Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- ( ) One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- ( ) Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- ( ) Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- ( ) Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- ( ) A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) Shelley I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

Shaun Walker  
Scott Romine  
Justin Spence  
John Plumbly  
Nate Jeter  
Dustin Richardson

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Rick Hutchens

~~XXXXXXXXXX~~  
Eve Shift  
1 Section

# Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of October 2009. All persons, including outby persons at the operation is required to participate in this drill.

The scenario for this drill will be: While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

The Primary Escapeway must be traveled during this evacuation.

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done.

Requirements that must be recorded are attached to this memo.

Fire Evacuation Record

Date: 10-27-09

Section: #1 Eve

Escape way used: Primary Intake

Scenario

Used: While Mining in #1 Entry, Accidental cut Through occurred into Old mine that was not shown on map. The mine had Accumulation of water + oxygen Deficient Atmosphere.

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

- () Hands on training in fire fighting ( Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- () Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- () One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- () Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- () Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- () Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- () A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) Rick Hutchins I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

John Henline  
PAT LOMAS  
Derek Williams  
Alan Forthing  
D. Moore  
Ricky Webber

[Signature]  
Greg Cleaves  
Larry [unclear]  
Rick Hutchins  
[Signature]  
[Signature]



Fire/Evacuation Record

Date: 10-28-09  
Section: 2 section  
Escape way used: Primary

Scenario

Used: while mining in the #1 entry an accidental cut through occurred into an old mine that not shown on the map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

(X) Hands on training in fire fighting. (Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.

(X) Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.

(X) One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).

(X) Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.

(X) Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.

(X) Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.

(X) A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) Tony Williams I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

Charles L. Williams  
Josh Williams  
Brian O'Beir  
Chuck Dicks  
Melvin Lynch  
John Mill

Charles W. Sullivan  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

TO: UBB  
Ernest Hayes

# Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of **October 2009**. All persons, including outby persons at the operation is required to participate in this drill.

**The scenario for this drill will be:** While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

**The Primary Escapeway must be traveled during this evacuation.**

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.

TO: UBB  
Andy Colson

# Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of October 2009. All persons, including outby persons at the operation is required to participate in this drill.

The scenario for this drill will be: While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

The Primary Escapeway must be traveled during this evacuation.

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.



Fire/Evacuation Record

Date: 10-30-09

Section: #2

Escape way used: ~~Primary~~ intake (Primary)

Scenario Used: cut thru an #1 into old works block ramp of water convey out

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

- ( ) Hands on training in fire fighting. ( Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- ( ) Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- ( ) One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- ( ) Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- ( ) Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- ( ) Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- ( ) A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) [Signature] I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

[Signature]  
[Signature]  
[Signature]  
[Signature]  
[Signature]  
[Signature]

Traveled Primary escapeway  
section to outside Elkes,  
intake airway

*f. Bowlin*  
*1-30-10*

# Fire Fighting and Evacuation Drill

All under ground mines at Marfork and Performance Coal Companies are required to do a Fire Fighting and Evacuation Drill during the month of January 2010. All persons, including outby persons at the operation are required to participate in this drill.

**The scenario for this drill will be:** A storm system was moving in the area causing a rapid drop in the barometric pressure. A pre-shift examiner was making the Dailey Inspection of the seals that were installed in the mine. When taking a sample of the atmosphere behind one set of seals it was discovered that the inner atmosphere contained 5% methane and 17% oxygen. Also due to the drop in the barometric pressure this explosive mixture was entering the main return. An evacuation of the entire mine is required.

**The Secondary Escapeway must be traveled during this evacuation.**

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done.

Requirements that must be a recorded are attached to this memo.



Fire/Evacuation Record

Date: 1-30-2010  
Section: Headgate #22  
Escape way used: Secondary

Scenario

Used: Storm system caused rapid drop in barometric pressure causing mixture of CH<sub>4</sub> (High) and low O<sub>2</sub>. It was found to be entering return, by pre-shift examined.

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:


- (\*) Hands on training in fire fighting. (Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- (\*) Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- (\*) One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- (\*) Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- (\*) Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- (\*) Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- (\*) A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) Frank Boy I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

Bobbie Tauter  
James Griffin  
Richard Drury  
Kortac Hall  
Johnny Dweeray  
Tony T. J.

John D. [Signature]  
[Signature]  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



Fire/Evacuation Record

Date: 1-30-2010

Section: H622

Escape way used: Secondary

Scenario Used: See attached sheet

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

- (X) Hands on training in fire fighting. (Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- (X) Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- (X) One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- (X) Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- (X) Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- (X) Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- (X) A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) [Signature] I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

[Signature]  
[Signature]  
[Signature]  
[Signature]  
[Signature]  
[Signature]

[Signature]  
[Signature]  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

1-30-2010

# Fire Fighting and Evacuation Drill

All under ground mines at Marfork and Performance Coal Companies are required to do a Fire Fighting and Evacuation Drill during the month of January 2010. All persons, including outby persons at the operation are required to participate in this drill.

**The scenario for this drill will be:** A storm system was moving in the area causing a rapid drop in the barometric pressure. A pre-shift examiner was making the Dailey Inspection of the seals that were installed in the mine. When taking a sample of the atmosphere behind one set of seals it was discovered that the inner atmosphere contained 5% methane and 17% oxygen. Also due to the drop in the barometric pressure this explosive mixture was entering the main return. An evacuation of the entire mine is required.

**The Secondary Escapeway must be traveled during this evacuation.**

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.

Cary May

# 1 Section

Brandan  
Bowling

# Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of October 2009. All persons, including outby persons at the operation is required to participate in this drill.


The scenario for this drill will be: While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

The Primary Escapeway must be traveled during this evacuation.

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.



Fire/Evacuation Record

Date: 10-29-9

Section: #1 Section

Escape way used: Primary Escopeway

Scenario Used: Cut through into old works, not on mine map. water inundation along with Oxygen deficient atmosphere is present now on active section.

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:


- Hands on training in fire fighting. (Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- Physically locate and practice using the directional lifelines, ladders, storage areas for SCSRs and locations of abandoned areas.
- Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) Brande Bowry I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

Wally [Signature]  
Bobbie Paulley  
JAMES SPIRITO  
Richard Gray  
Paul [Signature]  
John Dweeney

Carl [Signature]  
Barao Hall  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



Fire/Evacuation Record

Date: 10-31-09

Section: #1

Escape way used: primary

Scenario

Used: cut the money in #1 Entry and accidented through occurred into an old mine that was not shown on the map this mine had a Accumulation of water & possible oxygen deficient atmosphere

As required by 30 CFR section 75.1504 the following subjects are to be covered during the quarterly fire and evacuation drills:

- Hands on training in fire fighting. (Connecting of fire hoses to fire outlets, spraying of water, gathering of fire extinguishers, rock dust and job assignments should a mine fire ever occur.
- Hands on training with SCSR's used at this mine (SCSR 100) which includes the complete donning, inserting mouthpiece, and transfer of one SCSR to another as well as the maintenance and care of the SCSR.
- One of the approved scenarios included in the Program of Instruction for Firefighting will be utilized each quarter (different one each time).
- Either the primary or secondary escapeway will be traveled in its entirety, alternating the escapeways each quarter.
- Physically locate and practice using the directional lifelines, tethers, storage areas for SCSRs and locations of abandoned areas.
- Discuss with members the switching of escapeways in the event one becomes blocked and traversing over overcasts and such.
- A review of the mine map and escapeway maps, the firefighting plan and the mine evacuation plan in effect at the mine.

Person responsible for training (signature) [Signature] I hereby certify that the above training was conducted with all members who signed the attached page.

Members who participated in the above training please sign below. Upon completion of the drill a record must be maintained at each operation.

Eddie Murray  
Walter [unclear]  
Key Chapman  
[unclear]  
[unclear]  
[unclear]

Joe Marcuna  
[unclear]  
[unclear]  
[unclear]  
[unclear]

Andy Colson Dean

## Fire Fighting and Evacuation Drill

All under ground mines are required to do a Fire Fighting and Evacuation Drill during the month of October 2009. All persons, including outby persons at the operation is required to participate in this drill.

The scenario for this drill will be: While mining in the #1 entry an accidental cut through occurred into an old mine that was not shown on the mine map. This mine had an accumulation of water and possible oxygen deficient atmosphere.

The Primary Escapeway must be traveled during this evacuation.

During this evacuation drill an actual practice of firefighting must be done. This includes hooking up the fire fighting hoses and running water through them, locating fire extinguishers, rock dust and making sure that each person knows what they should do if a fire occurs. A review of the Mine Escape Way Map and the Mine Evacuation and Fire Fighting Program in effect at the mine must be done.

During the evacuation all persons must be included in the evacuation drill, including outby persons. Lifelines, SCSR Caches, Tethers and Shelters must be located during the evacuation. Complete donning and the transfer from one SCSR to another SCSR must be done

Requirements that must be a recorded are attached to this memo.