

that the direct final rule does not have a significant economic impact on a substantial number of small entities.

List of Subjects

30 CFR Part 56

Incorporation by reference, Mine safety and health, Surface mining.

30 CFR Part 57

Incorporation by reference, Mine safety and health, Underground mining.

Dated: April 14, 2003.

Dave D. Lauriski,

Assistant Secretary of Labor for Mine Safety and Health.

■ For the reasons set out in the preamble, and under the authority of the Federal Mine Safety and Health Act of 1977, MSHA is amending chapter I, parts 56 and 57 of title 30 of the Code of Federal Regulations as follows:

PART 56—[AMENDED]

■ 1. The authority citation for part 56 continues to read as follows:

Authority: 30 U.S.C. 811.

■ 2. Section 56.14130 is amended by revising paragraphs (h) and (j) to read as follows:

§ 56.14130 Roll-over protective structures (ROPS) and seat belts.

* * * * *

(h) *Seat belts construction.* Seat belts required under this section shall meet the requirement of SAE J386, "Operator Restraint System for Off-Road Work Machines" (1985, 1993, or 1997), or SAE J1194, "Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors" (1983, 1989, 1994, or 1999), as applicable, which are incorporated by reference.

* * * * *

(j) *Publications.* The incorporation by reference of these publications is approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of these publications may be examined at any Metal and Nonmetal Mine Safety and Health District Office; at MSHA's Office of Standards, Regulations, and Variances, 1100 Wilson Boulevard, Room 2349, Arlington, Virginia 22209-3939; or at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700, Washington, DC. Copies may be purchased from the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, Pennsylvania 15096-0001.

■ 3. Section 56.14131 is amended by revising paragraphs (c) and (d) to read as follows:

§ 56.14131 Seat belts for haulage trucks.

* * * * *

(c) Seat belts required under this section shall meet the requirements of SAE J386, "Operator Restraint System for Off-Road Work Machines" (1985, 1993, or 1997), which are incorporated by reference.

(d) The incorporation by reference of these publications is approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of these publications may be examined at any Metal and Nonmetal Mine Safety and Health District Office; at MSHA's Office of Standards, Regulations, and Variances, 1100 Wilson Boulevard, Room 2349, Arlington, Virginia 22209-3939; or at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700, Washington, DC. Copies may be purchased from the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, Pennsylvania 15096-0001.

PART 57—[AMENDED]

■ 4. The authority citation for part 57 continues to read as follows:

Authority: 30 U.S.C. 811.

■ 5. Section 57.14130 is amended by revising paragraphs (h) and (j) to read as follows:

§ 57.14130 Roll-over protective structures (ROPS) and seat belts for surface equipment.

* * * * *

(h) *Seat belts construction.* Seat belts required under this section shall meet the requirement of SAE J386, "Operator Restraint System for Off-Road Work Machines" (1985, 1993, or 1997), or SAE J1194, "Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors" (1983, 1989, 1994, or 1999), as applicable, which are incorporated by reference.

* * * * *

(j) *Publications.* The incorporation by reference of these publications is approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of these publications may be examined at any Metal and Nonmetal Mine Safety and Health District Office; at MSHA's Office of Standards, Regulations, and Variances, 1100 Wilson Boulevard, Room 2349, Arlington, Virginia 22209-3939; or at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700, Washington, DC. Copies may be purchased from the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, Pennsylvania 15096-0001.

■ 6. Section 57.14131 is amended by revising paragraphs (c) and (d) to read as follows:

§ 57.14131 Seat belts for surface haulage trucks.

* * * * *

(c) Seat belts required under this section shall meet the requirements of SAE J386, "Operator Restraint System for Off-Road Work Machines" (1985, 1993, or 1997), which are incorporated by reference.

(d) The incorporation by reference of these publications is approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of these publications may be examined at any Metal and Nonmetal Mine Safety and Health District Office; at MSHA's Office of Standards, Regulations, and Variances, 1100 Wilson Boulevard, Room 2349, Arlington, Virginia 22209-3939; or at the Office of the Federal Register, 800 North Capitol Street, NW., Suite 700, Washington, DC. Copies may be purchased from the Society of Automotive Engineers, 400 Commonwealth Drive, Warrendale, Pennsylvania 15096-0001.

[FR Doc. 03-9657 Filed 4-18-03; 8:45 am]

BILLING CODE 4510-43-P

DEPARTMENT OF LABOR

Mine Safety and Health Administration

30 CFR Parts 71 and 75

RIN: 1219-AA98 (Phase 9)

Standards for Sanitary Toilets in Coal Mines

AGENCY: Mine Safety and Health Administration (MSHA), Labor.

ACTION: Direct final rule; request for comments.

SUMMARY: MSHA is removing an application and approval requirement from existing mandatory standards. Currently, MSHA must approve sanitary toilets for use in underground coal mines, and MSHA and the National Institute for Occupational Safety and Health (NIOSH) must jointly approve sanitary toilets for use in surface coal mines. MSHA and NIOSH base their approval on criteria drawn from the American National Standard Institute's (ANSI's) *American National Standard for Sanitation—Nonsewered Waste-Disposal Systems—Minimum Requirements*. MSHA is amending its regulations to state which sanitary toilets meet the standard in order to eliminate the need for an application for